





A hot new Torno—with all the qualities you look for in an intermediate-size car. And more. A brand-new, 4.1 Lifre six-cylinder engine delivers instant response on command. (With traditional Six dependability and economy.) Long 116-inch wheelbase—solid, yet nimble. Touches of bright trim outside reflect your with-lit mood. Ventless side glass on hardtops

Inside ... Torino comes through as though it were oustom-crafted for you. Foam-padded seats are flawlessly fittled in exceptionally fine cloth, the kind you'd expect to find only in much higher priced cars. Other touches that put Torino at the top of the intermediate pack: contoured loop-

That's just a beginning. Torino lets you take it from there, with flashing power ranging up to 335 hp—to all the luxury designed

for truly enjoyable motoring.

Be the first on the block to drive the hottest car. One of the cool Ford Torinos.



1969 Ford Torino. New performance car? Or new luxury car? Yes.




Torino captures the best of both worlds-as a performance car, and as a luxury car. And without compromise. By the record, Torino has set a hot pace in the intermediate field. Torino's fresh and hot to go in '69, with everything including quiet, smooth-riding 4-door sedans (definitely not sedate) to the family-pleasing Torino

Squire wagon.
Torino's luxury is a matter of record, too, Full wheel covers are standard. So are bright wheel opening moldings and roof drip rail moldings. The Torino Squire has Ford's better idea Magic Doorgate—opens down for cargo, or out for people. Plus woodlike body side panels and rear doorgate

Power? You name it. From the standard very big Six, all the way up to the sssssizzzzling 428 Cobra Jet Ram-Air. Add SelectShift Cruise-O-Matic: shift through the gears manually, or go automatically. Move out and move up, in a

Torino. It's the one car in the intermediate field where you won't have to compromise in performance or luxury.





Hiss and Hers...
Cobra by Ford.
Brought up in a very tough neighborhood.
Daytona, Riverside, Atlanta.

Put your money where the muscle is. Specially prepared cars with modified Cobra engines chewed up tracks (and competition) last year. Get a Cobra. Sssensational 428 V-8. standard. Great in competition, yet gentle on a Sunday drive. Hiss and hers. Cobra. 2-Door Hardtop and SportsRoof models.

Standard, too, are competitioninspired components like 4-speed manual transmission with floor-mounted shift. Beefed-up suspension for minimum body roll and maximum directional stability. High rate front and rear springs, large diameter front stabilizer bar and high damping shocks. Big, six-inch wheel rims with F70-14 white sidewall wide-tread belted tires. All standard equipment. Cobra. Recommended to cure dull driving.

## Engine Specifications:

Displacement . . . 428 cubic inches Horsepower. . 335 @ 5200 Torque..... 440 lbs/ft @ 3400 Carb...... 4V 735 cu. ft./min. Bore & Stroke 4.13" x 3.98" Comp. Ratio, 10.6 to 1 Exhaust.....Dual Valves.....2.06" dia. intake

1.625" dia. exhaust

30° valve seat

4V 428 Cobra Jet Ram-Air V-8 engine, with functional hood scoop. SelectShift Cruise-O-Matic (it's a manual and an automatic transmission). Tachometer, Clock,

Cam..... Long duration, high lift

For a going machine, consider

Power disc brakes, Bucket seats.

Traction-Lok differential.

some of these options for your Cobra:

Lifters ..... Hydraulic

Fuel.....Premium



Fairlane 500. More power. New style. Eager to go.



Crisp Fairlane 500 is like a lean, poised athlete. A smooth, confident performer. And this eager-to-go intermediate comes in a 4-Door Sedan, 2-Door Hardtop, SportsRoof, Convertible and Wagon.


Fairlane 500's good looks are discreetly highlighted by bright wheel opening moldings, and full-length body side moldings. A full-width molding accents the rear deck.

There are luxury touches inside: wall-to-wall carpeting, new patterns in seat and door trim panels, and an all-vinyl headlining. All contribute to Fairlane 500's living room comfort.

Standard power is the new 4.1 Litre six-cylinder engine, matched with a 3-speed fully synchronized manual shift. There are six V-8's available in combination with SelectShift Cruise-O-Matic. 4 V-8's with the 3-speed manual, 5 with a floor-mounted 4-speed manual. (See chart on page 20 for all engine/ transmission combinations.)

Choose other better idea options: AM/FM stereo radio, Stereo-Sonic Tape/AM Radio system, Rim-Blow Steering Wheel, and many others.

Get into a Fairlane 500. You'll find it an exhilarating way to go.





Fairlane 500. For people who take their fun seriously.





Sun-loving, fun-loving Fairlane 500 Convertible

It's a sedan, with all the advantages you get in a sedan, but its styling is definitely for the young-at-heart. Fashion-right bright accents highlight the exterior. You can get the optional deluxe wheel covers like those on the sedan above, or styled steel wheels like those on the convertible at left, depending on your taste. And inside, strictly first cabin. New instrument cluster with brushed aluminum dials, very attractive teak-toned

appliques on door panels. Fine plush carpeting throughout.

carpeting inrougnout.
Then there's the Fairlane 500
Convertible. At your whim, you flip a switch and the top lowers automatically, and tucks away neatly behind the rear seat.
The boot, when in place, completes the neat, clean, top-down appearance.

There are many other better idea features on all Fairlanes which you'll soon take for granted. Reversible keys—they're never upside down. Backup lights. Squeeze-type inside door handles. And courtesy lighting.

Standard power is a brand-new, bigger 4.1 Litre six-cylinder engine. It delivers smooth, quiet power with traditional Six economy. If you prefer a V-8, there are several available, up to 335 hp.

Fairlane 500 spells nice going.

And that you won't take for granted.



The lowest priced Fairlane of all is a handsome hardtop. Ventless side glass, 4.1 Litre six-cylinder engine, fully synchronized transmission, a quiet, smooth ride, and handling ease that means you'll arrive refreshed even on long trips. In fact, all three models in the Fairlane series have just about everything you'd want in a car. The items you may want to add are available at very reasonable

cost. Like the AM/FM stereo radiothe perfect traveling companion. It has push buttons so you can preselect 5 AM and 5 FM stations. It's fully transistorized and delivers a balanced stereo sound. Add power front disc brakes, heavy-duty suspension, deluxe wheel covers and white sidewall tires, like those shown below, and, if you wish, a V-8 engine from 220 hp up to 335 hp, plus many others.

That Fairlane wagon will come in handy. Two-way Magic Doorgate is standard. It opens out for people, or down for cargo. Add the power tailgate window, for more convenience.

Fairlane, the value leader of the intermediate field. Its wheelbase is longer than that on a number of more expensive cars. And you get more room inside than most cars in its own class. Fairlane is no compromise. It's a great new deal on wheels.

Fairlane 4-Door Sedan, roomy better idea for the value-conscious Fairlane 2-Door Hardtop with contemporary styling including ventless side glass





TORINO/FAIRLANE/COBRA MODELS AVAILABLE

Torino: 2-Door Hardtop, 4-Door Sedan

Torino GT: 2-Door Hardtop, SportsRoof, Convertible

Cobra: 2-Door Hardtop, SportsRoof

> Fairlane 500: 2-Door Hardtop. SportsRoof 4-Door Sedan. Convertible

> Fairlane 2-Door Hardtop 4-Door Sedan

Torino Squire, Fairlane 500

## Standard Equipment

#### FAIRLANE

Power Team: 4.1 Litre six-cylinder Smooth Drive (fully synchronized manual transmission). A MagicAlre heater Adminised muller with stainless steel components. Am rests, front and rear Suspended pedals. Backup □ Center-fill fueling □ Galvanized rocker panels Bright roof drip rail and rear window reveal molding 2-speed windshield wipers and dual-stream windshield washers

### FAIRLANE 500

Power Team: 4.1 Litre six-cylinder. Engine and 3-speed Synchro-Smooth Drive (fully synchronized manual transmission) Plus all the Fairlane equipment listed with these variations Power-operated 5-ply vinyl top with glass backlite (convertibles) - Ventless side glass (convertibles and hardtops) □ Nylon-rayon carpeting □ Bright roof drip rall and rear window reveal molding (except convertibles) - Lower body side and partial wheel lip moldings

COBRA Power Team: 428-cubic-inch 4V V-8 engine and 4-speed fully synchronized manual transmission with floor-mounted shift a Plus all the equipment listed above for Fairlane with these variations: Competition suspension D Six-inch wheel rims Wide-tread white sidewall belted ires Color-keyed carpeting Exposed hood lock pins D Black painted grille and Cobra identification Wheel lip moldings D Lower

# back panel moldings

Power Team: 4.1 Litre six-cylinder Engine and 3-speed Synchro-Smooth Drive (fully synchronized manual transmission) 
Plus all the equipment listed for Fairlane 500 and Fairlane plus: Full wheel covers - Accent stripe on

Power Team: 302-cubic-inch V-8 Drive (fully synchronized manual transmission) Plus all the equipment Torino with these variations: Styled steel wheels GT stripes and GT ornamentation GT Stripes and GT

### STANDARD FORD MOTOR COMPANY LIFEGUARD DESIGN SAFETY FEATURES

Lifequard Design Safety Features help reduce the likelihood of injury in case of an accident, but you can accomplish the most important job of allpreventing an accident. By obeying traffic laws at all times and developing alert, defensive driving habits, you can best protect yourself and your family against unsafe conditions on the road.

Every 1969 Torino and Fairlane includes: Dual Hydraulic Brake System with warning light Glare reduced instrument panel padding, windshield wiper arms, steering wheel hub, horn ring, rearview mirror/mirror mounting and windshield pillars - Energyabsorbing steering column and steering wheel D Energy-absorbing armrests and safety-designed door handles Front and rear lap belts with front outboard retractors - Turn indicators with lane-changing signal feature Inside day/night, vield away rearview mirror D Energy-absorbing instrument panel with padding Padded sun visors Two speed or variable speed windshield wipers D Windshield washers Double-thick laminate safety glass windshield Double-yoke safety door latches and safety hinges 4-way emergency flasher Back-up lights Side marker lights or reflectors - Energy-absorbing front seat back tops with padding - Selflocking folding front seat backs Shoulder belts for outboard front

seat passengers (except convertibles) ☐ Safety-designed coat hooks □ Safety-designed window regulator knobs Safety-designed radio control knobs and push buttons D Outside rearview mirror, driver's side - Safety rim wheels and load-rated tires

Corrosion-resistant brake lines Uniform transmission shift quadrant

Safety design front end structure

□ Front seat head restraints

# TORINO/FAIRLANE/COBRA Ford



#### A wide array of better idea options to tailor your car to your needs. Select your favorite model from convenience when there are several throw. Close or wide ratio. (See chart,

Hardtops, Sedans, SportsRoofs, Convertibles and Wagons. Then choose the added equipment you want-from those listed throughout this catalog and below, and others your Ford Dealer will be glad to tell you about A. AM/FM Stereo Radio. A multiple speaker system for true stereo reception.

Five push buttons can be pre-set to

drivers in one family. C. Power Ventilation. Fresh air inside with windows closed. Works on ram-air principle, or with blower, D. Power Windows, Extra convenience at your fingertips. Master control located in driver's door trim panel. Available on all models. E. SelectAire Conditioner. You dial your own weather inside the car. Also helps filter out dust and pollen. F. 4-Speed Manual Trans. Short

page 20 for availability.) G. Tires. Wide selection available, depending on needs and engine application. Included are 7.35-14 white sidewalls, 7.75-14 blackwalls, E70-14, and F70-14 white sidewall wide-tread belted. F70-14 widetread blackwalls with raised white brand lettering, FR70-14 white sidewalls widetread radial. (See "Tires" page 20 for details.)

H. Disc Brakes. Power-assisted front

are less affected by moisture and dust. I, SelectShift Cruise-O-Matic Drive. Shift it to "D" (Drive) and it's a fully automatic transmission. Or you can shift through the gears manually. (Shown is SelectShift with column-mounted quadrant and console-mounted selector.) J. Rim-Blow Steering Wheel. Horn switch is built into the wheel rim. K. Electric Clock. Selfregulating, accurate, easy to read. Brushed aluminum face. Other popular items you'll want to

discs have more resistance to fade,

Performance: 302-, 351-, 390- and 428-cubic-inch V-8 engines; Traction-Lok torque compensating differential; Limited-Slip differential; High-ratio axle; GT Handling Suspension; Competition suspension; Heavy-duty suspension; Heavy-duty battery; Tachometer. Comfort & Convenience: Power steering; Power tailgate window; AM radio: Dual rear speakers: Visibility Group (lights for instrument panel ash tray, glove box, luggage compartment, map light, rear door courtesy switches,

consider for an added lift:

remote-control outside left-hand mirror): Remote-control outside lefthand mirror; Station wagon third seat (rear facing); Station wagon roof luggage rack; Bucket front seats; Console: Power bench front seat; Intermittent windshield wipers. Appearance: Vinyl roof cover; Styled steel wheels (std. on GT); Wheel covers (std. on Torino); Deluxe steering wheel; Deluxe seat and shoulder belts (shoulder belts N.A. convertible); Console (shown left with 4-speed manual shift and SelectShift).

# 1969 Ford Torino, Torino GT, Fairlane 500, Fairlane, Cobra Specifications

### SPECIFICATIONS

Color and Upholstery: 15 brilliant Super Diamond Lustre Enamel exterior flinishes, and 8 interior color choices. Ask your Ford Dealer to show you his color and upholstery book and choose your tavortte color combinations.

Engines (see chart for availability): 250-ou. in., 4.1 Litre 6-cyl. engine—155 250-ou. in., 4.1 Litre 6-cyl. engine—155 comp. 368° bore x 3.91° stroke; 9.0 to 1 comp. ratio; 7 main bearings; reg. fuel; single bbl. carb.; auto. choke; self-adj. valves; oil cap'y, incl. filter, 5 qt.

302-cu. in. V-8-220 hp; 4.00" bore x 3.00" stroke; 9.5 to 1 comp. ratio; reg. fuel; 2-bbl. carb; auto. choke; self-adi, valves; oil carpy, incl. littler, 5 dt. 351-cu. in. V-8-250 hp; 4.00" bore x 3.50" stroke; 9.5 to 1 comp. ratio; reg. fuel; 2-bbl. carb; auto. choke; self-adi, valves; oil carpy, incl. littler, 5 dt. 351-cu. in. V-8-290 hp; 4.00" bore x 3.50" stroke; 10.7 to 1 comp. ratio; prem. fuel; 4-bbl. carb; auto. choke; self-adi, valves; oil carpy, incl. filter, 5 dt. 30" stroke; 10.2 to 1 comp. ratio; 309-cu. in. V-8-320 hp; 4.05" bore x 3.78" stroke; 10.5 to 1 comp. ratio; 309-cu. in. V-8-320 hp; 4.05" bore x 3.78" stroke; 10.5 to 1 comp. ratio;

prem, fuel; 4-bbl. carb.; auto. choke; selfadj. valves; oil cap'y, incl. filter, 5 qt. 428-cu. in. V-8—335 hp; 4.13" bore x 3,98" stroke; 10.6 to 1 comp. ratio; prem. fuel; 4-bbl. carb.; auto. choke; selfadj. valves; oil cap'y, incl. filter, 5 qt.

428-cu. in. V-8 Cobra Jet Ram-Air—335 hp; 4.13" bore x 3.98" stroke; 10.6 to 1 comp. ratio; prem. fuel; 4-bbl. carb.; auto. choke; self-adj. valves; oil cap'y, incl. filter, 5 ct.

Engline Features: 6000-millo (or 6-month) full-flow oil filter; hydraulic valve lifters; dry element air cleaner; year-round 190° thermosta; 12-voil electrical system; 42-amp, alternator; 45-plate, 45 amp-ir Autollie Staf-ful battery, weatherproof ignition with constant-resistance wiring; air-cooled constant-resistance wiring; air-cooled staf-full year of the constant-resistance wiring; as with staffer; fully although the same staffer; fully although the same staffer; such as the components was with staffer; such as the components was with staffers steel components with the components of the components of the components was with staffers steel components was with staffers steel components.

Clutch and Manual Transmission (see charl for availability): clutch face dia. 9,5" with Six; 10" with 302 V-8; 11" with 351, 390; 11.5" with 428 V-8's. 3-Speed Manual Transmission: Synchronized manual shifting in all three forward gears. Standard "H" pattern with lever on steering column.

POWER TEAMS

ENGINES TRANSMISSIONS

250-cu. in., 4.1 Litre Six* (N.A. GT and Cobra models)	3, C
302-cu. in. V-8 (Std. on GT models, N.A. Cobra)	3, C
351-cu. in. V-8 (2V) (N.A. Cobra)	3, 4, C
351-cu. in. V-8 (4V) (N.A. Cobra)	3, 4, C
390-cu. in. V-8 (N.A. Cobra	) 3, 4, C
428-cu. in. V-8 (4V) (Std. on Cobra models) (N.A. wagons)	4. C
428-cu. in. (4V) Cobra Jet Ram-Air (N.A. wagons)	4, C

\*Standard all models, except GT's and Cobras

Key: 3-3-speed fully synchronized manual shift
(heavy-duty 3-speed req, with 390 V-8)

4-4-speed fully synchronized manual shift
(N.A. wagons or sedans with 428 V-8)
C-Cruise-O-Matic Drive

4-Speed Manual Transmission: Sportstype transmission, fully synchronized in the four forward gears with floormounted stick shift.

SelectShift Cruise-O-Matic Drive (see chart for availability): Fully automatic, or may be shifted manually. Three forward speeds, one reverse. Provides engine braking in low or intermediate gear for better control on grades and hilly driving, or when pulling a trailer.

Rear Axle: Semi-floating type with deep-offset hypoid gears. Straddlemounted drive pinion with roller bearings (V-8's). Permanently lubricated wheel bearings.

Front Suspension: Ball-joint type with coil springs pivot-mounted on upper arms. Angle-Poised for anti-dive control. Strut stabilized lower arms.

Rear Suspension: Asymmetrical design with rear axle located forward of spring center for anti-dive and anti-squat resistance. Extra-long leaf type springs.

Steering: Recirculating-ball type steering gear. Linkage system lubricated for life. Steering ratio 29.4 to 1. Turning diameter 41.4 feet. Power steering option ratio: 21.6 to 1.

Brakes: Dual hydraulic system with dual master cylinder, separate lines to front and rear brakes. Self-adjusting type. 10-inch full cast, grooved for extra cooling. Lining area, sedans and hardtops with Six and 302 V-8—163.6 sq. in.; convs. and wagons with Six and 302 V-8, sedans, hardtops, convs. with 351, 390 or 428 V-8's—173.3 sq. in.; wagons with 351 and 390 V-8's—192.5 sq. in.;

Tires: 7.35-14, standard on all hardtops and sedans with 250-, 302- and 351-cu. in, engines (except Torino GT); 7.75-14. standard on all sedans and hardtops with 390-cu. in. engine and all convertibles with 250-, 302-, 351- and 390-cu. in. engines (except Torino GT), also standard on all wagons; E70-14 white sidewall wide-tread belted, standard on Torino GT with 302- and 351-cu, in. engines. F70-14 white sidewall widetread belted, standard on Torino GT with 390- and 428-cu. in, engines, and Cobra models, F70-14 wide-tread belted black sidewall with raised white lettering, required at extra cost on Cobra models with Ram-Air engine.

Basic Dimensions and Capacities: Length-201.1", (wagons-203.9"), Width. -74.8", Wheelbase-116" (wagons -113"), Tread (front/rear)-58.8"/58.5", Height (design)-54.7", Luggage Capacity-16.2 cut ft. Fuel-20 gal.

Approximate Curb Weights: Torino GT SportsRoof 3374 lb., Hardtop 3327 lb., Convertible 3510 lb. Torino Hardtop 3232 lb., 4-Door Sedan 3217 lb. Cobra Hardtop 3633 lb., SportsRoof 3689 lb. Fairlane 500 SportsRoof 3225 lb., 2-Door Hardtop 3178 lb., 4-Door Sedan 3163 lb., Convertible 3372 lb. Fairlane 2-Door Hardtop 3169 lb., 4-Door Sedan 3154 lb. Torino Squire wagon 3593 lb. Fairlane 500 wagon 3558 lb. Fairlane wagon 3529 lb. Trailer Towing: Ask your Ford Dealer for a copy of the brochure "1969 Ford Cars & Trucks for Recreation" to best equip your car for trailer towing

NOTE: Your new 1968 Torino, Fairiane or Cobra comes equipped with factory engineered and Full battery, Autolite Power-Irip spark plugs, Auto-lite shock absorbers, and an Autolite 6000-mile oil litter. For continued top performance, be sure to specify genuine Autolite parts whenever replacement is necessary.

While the information shown herein was correct when approved for printing, Ford Division reserves the right to discontinue, or change at any time, and the result of the r

